

New Zealand endorsement explanations and required supporting documents

The below tables are to be used in conjunction with the Guideline: [Supporting documents for plant exports](#) which sets the minimum information required in each type of supporting document.

Accredited properties - Where in-field controls are required, farms and packhouses must be accredited properties for that commodity and market (unless there is an exemption). The exporter is to identify the farm and packhouse to the Authorised Officer (AO) who will record the accredited property numbers on the inspection record for verification by Assessment Services branch **Note:** Grapes and watermelons are often field packed and may not have a packhouse number.

Fruit Fly Pest Free Area - For Appendix 2 – pest free area (PFA) from fruit flies – PFA evidence is generally not required provided the AO has identified the product origin or you have determined it from another source. Note – where an outbreak has occurred within a PFA, evidence from the state department is required to ensure the fruit has been sourced from outside the suspension zone.

New Zealand endorsement explanations and required supporting documents

Endorsement number	Endorsement explanations	Avocadoes	Required supporting documents
1582	<ul style="list-style-type: none"> • Sourced from an area free from <i>Pseudocercospora purpurea</i> • Sourced from an area free from <i>Avocado sunblotch viroid</i> • Sourced from a fruit fly pest free area (Appendix 2) 		<ul style="list-style-type: none"> • Area freedom certificate for <i>Pseudocercospora purpurea</i> (Cercospora spot blotch) • Area freedom certificate for <i>avocado sun blotch viroid</i> OR certification from Avocado Nursery Voluntary Accreditation Scheme • AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Riverland, Ord River, TAS]
1585	<ul style="list-style-type: none"> • Sourced from an area free from <i>Pseudocercospora purpurea</i> • Sourced from an area free from <i>Avocado sunblotch viroid</i> • Treated with cold treatment – onshore or in-transit (Appendix 5) 		<ul style="list-style-type: none"> • Area freedom certificate for <i>Pseudocercospora purpurea</i> (Cercospora spot blotch) • Area freedom certificate for <i>avocado sun blotch viroid</i> OR certification from Avocado Nursery Voluntary Accreditation Scheme • Treatment certificate for onshore cold treatment OR ITCT calibration record
1641	<ul style="list-style-type: none"> • In-field controls for <i>Pseudocercospora purpurea</i> • Sourced from an area free from <i>Avocado sunblotch viroid</i> • Sourced from a fruit fly pest free area (Appendix 2) 		<ul style="list-style-type: none"> • Area freedom certificate for <i>avocado sun blotch viroid</i> OR certification from Avocado Nursery Voluntary Accreditation Scheme • AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Riverland, Ord River, TAS]
1649	<ul style="list-style-type: none"> • In-field controls for <i>Pseudocercospora purpurea</i> • Sourced from an area free from <i>Avocado sunblotch viroid</i> • Treated with cold treatment – onshore or in-transit (Appendix 5) 		<ul style="list-style-type: none"> • Area freedom certificate for <i>avocado sun blotch viroid</i> OR certification from Avocado Nursery Voluntary Accreditation Scheme • Treatment certificate for onshore cold treatment OR in-transit cold treatment calibration record
7842	<ul style="list-style-type: none"> • Sourced from an area free from <i>Pseudocercospora purpurea</i> • Sourced from an area free from <i>Avocado sunblotch viroid</i> • Treated with Irradiation (Appendix 12) 		<ul style="list-style-type: none"> • Area freedom certificate for <i>Pseudocercospora purpurea</i> (Cercospora spot blotch) • Area freedom certificate for <i>avocado sun blotch viroid</i> OR certification from Avocado Nursery Voluntary Accreditation Scheme • Treatment certificate for Irradiation
7843	<ul style="list-style-type: none"> • In-field controls for <i>Pseudocercospora purpurea</i> • Sourced from an area free from <i>Avocado sunblotch viroid</i> • Treated with Irradiation (Appendix 12) 		<ul style="list-style-type: none"> • Area freedom certificate for <i>avocado sun blotch viroid</i> OR certification from Avocado Nursery Voluntary Accreditation Scheme • Treatment certificate for Irradiation

New Zealand endorsement explanations and required supporting documents

Bananas		
Endorsement number	Endorsement explanations	Required supporting documents
1783	<ul style="list-style-type: none"> • In-field controls for Pink Hibiscus mealybug (<i>Maconellicoccus hirsutus</i>) • Are in unripe stage of maturity therefore are non-hosts to fruit fly species (Appendix 6). 	<ul style="list-style-type: none"> • AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list • AO inspection record confirming fruit is unripe at the time of inspection
1802	<ul style="list-style-type: none"> • Sourced from a pest free area for Pink Hibiscus mealybug (<i>Maconellicoccus hirsutus</i>) • Are in unripe stage of maturity therefore are non-hosts to fruit fly species (Appendix 6). 	<ul style="list-style-type: none"> • AO inspection record identifies product origin to ensure it is a PFA for Pink Hibiscus mealybug [NSW, VIC, SA, WA, TAS] • AO inspection record confirming fruit is unripe at the time of inspection
4083	<ul style="list-style-type: none"> • Treated with methyl bromide fumigation (Appendix 3) • Are in unripe stage of maturity therefore are non-hosts to fruit fly species (Appendix 6). 	<ul style="list-style-type: none"> • Treatment certificate for methyl bromide fumigation (see Micor for rate) • AO inspection record confirming fruit is unripe at the time of inspection
4084	<ul style="list-style-type: none"> • Treated with methyl bromide fumigation (Appendix 3) • Are in unripe stage of maturity therefore are non-hosts to fruit fly species (Appendix 6). 	<ul style="list-style-type: none"> • Treatment certificate for methyl bromide fumigation (see Micor for rate) • AO inspection record confirming fruit is unripe at the time of inspection
4085	<ul style="list-style-type: none"> • Treated with methyl bromide fumigation (Appendix 3) • Are in unripe stage of maturity therefore are non-hosts to fruit fly species (Appendix 6). 	<ul style="list-style-type: none"> • Treatment certificate for methyl bromide fumigation (see Micor for rate) • AO inspection record confirming fruit is unripe at the time of inspection

New Zealand endorsement explanations and required supporting documents

Endorsement number	Basil	
	Endorsement explanations	Required supporting documents
1621	<ul style="list-style-type: none"> Treated with methyl bromide fumigation for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation
6914	<ul style="list-style-type: none"> Irradiated for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Treatment certificate for irradiation
6915	<ul style="list-style-type: none"> Sourced from a pest free area for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> pest free area
6916	<ul style="list-style-type: none"> In-field controls for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Grower or exporter declaration attesting to in-field controls being applied for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i>. Note: No accredited farm or packhouse required.

New Zealand endorsement explanations and required supporting documents

Broccoflower, Broccoli, Brussels sprouts, Cabbage, Cauliflower		
Endorsement number	Endorsement explanations	Required supporting documents
1320 1321 1326 1592 2860	<ul style="list-style-type: none"> Treated with methyl bromide fumigation for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation
6918 6921 6924 6927 6930	<ul style="list-style-type: none"> Irradiated for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Treatment certificate for irradiation
6919 6922 6925 6928 6931	<ul style="list-style-type: none"> Sourced from a pest free area for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> pest free area.
6920 6923 6926 6929 6932	<ul style="list-style-type: none"> In-field controls for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Grower or exporter declaration attesting to in-field controls being applied for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i>. Note: No accredited farm or packhouse required.

New Zealand endorsement explanations and required supporting documents

Butternut		
Endorsement number	Endorsement explanations	Required supporting documents
6502	<ul style="list-style-type: none"> Sourced from a fruit fly pest free area (Appendix 2) Sourced from an approved pest free place of production from <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Riverland, Ord River, TAS] AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
7595	<ul style="list-style-type: none"> The fruit arrives in New Zealand during the Winter Window 1 May – 1 September (Appendix 11) In-field controls for Cucumber fruit fly (<i>Bactrocera cucumis</i>) (Appendix 10) Sourced from an approved pest free place of production from <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> Consignments can be authorised under winter window prior to 1 May as they must arrive in New Zealand on or after 1 May and by 1 September AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list for winter window AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
7596	<ul style="list-style-type: none"> Treated by irradiation (Appendix 12) Sourced from an approved pest free place of production from <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> Treatment certificate for irradiation AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV.

New Zealand endorsement explanations and required supporting documents

Endorsement number	Endorsement explanations	Capsicum	Required supporting documents
1637	<ul style="list-style-type: none"> Irradiated for Yellow peach moth (<i>Conogethes punctiferalis</i>) and other regulated fruit flies Sourced from a fruit fly pest free area (Appendix 2) 		<ul style="list-style-type: none"> Treatment certificate for irradiation AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Riverland, TAS]
2531	<ul style="list-style-type: none"> In-field controls for Yellow peach moth (<i>Conogethes punctiferalis</i>) Sourced from a fruit fly pest free area (Appendix 2) 		<ul style="list-style-type: none"> AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Riverland, TAS]
7603	<ul style="list-style-type: none"> Treated with methyl bromide fumigation at 13.2g/m³ for 5 hours at 18°C or above achieve Ct product of 77 g/m³ Ct (Appendix 3) for Yellow Peach moth (<i>Conogethes punctiferalis</i>). Sourced from a fruit fly pest free area (Appendix 2) 		<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Riverland, TAS]
2688	<ul style="list-style-type: none"> Treated with methyl bromide fumigation at 32g/m³ for 2 hours at 21°C or above (Appendix 3) for Yellow Peach moth (<i>Conogethes punctiferalis</i>). Sourced from a fruit fly pest free area (Appendix 2) 		<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list
2543	<ul style="list-style-type: none"> In-field controls for Yellow peach moth (<i>Conogethes punctiferalis</i>) and other fruit flies Treated with methyl bromide fumigation (Appendix 3) at 40g/m³ for 2 hours at 17°C. 		<ul style="list-style-type: none"> AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list Treatment certificate for methyl bromide fumigation
2689	<ul style="list-style-type: none"> In-field controls for <i>Bactrocera bryoniae</i> and <i>Bactrocera musae</i> (banana fruit fly) and other fruit flies (Appendix 10) Treated with methyl bromide fumigation at 32g/m³ for 2 hours at 21°C or above (Appendix 3) for Yellow Peach moth & fruit flies. 		<ul style="list-style-type: none"> AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list Treatment certificate for methyl bromide fumigation
1642	<ul style="list-style-type: none"> Irradiated for Yellow peach moth (<i>Conogethes punctiferalis</i>) and other regulated fruit flies 		<ul style="list-style-type: none"> Treatment certificate for irradiation
1633	<ul style="list-style-type: none"> In-field controls for Yellow peach moth (<i>Conogethes punctiferalis</i>) Irradiated for other fruit flies (appendix 12) 		<ul style="list-style-type: none"> AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list Treatment certificate for irradiation

New Zealand endorsement explanations and required supporting documents

7604	<ul style="list-style-type: none"> In-field controls for Yellow peach moth (<i>Conogethes punctiferalis</i>) Treated with methyl bromide fumigation (Appendix 3) at 13.2g/m³ for 5 hours at 18°C or above achieve Ct product of 77 g/m³ Ct for fruit flies 	<ul style="list-style-type: none"> AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list Treatment certificate for methyl bromide fumigation
7605	<ul style="list-style-type: none"> Treated with methyl bromide for Yellow peach moth (<i>Conogethes punctiferalis</i>) and other regulated fruit flies at 13.2g/m³ for 5 hours at 18°C or above achieve Ct product of 77 g/m³ Ct for fruit flies. 	<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation

New Zealand endorsement explanations and required supporting documents

Endorsement number	Celery	
	Endorsement explanations	Required supporting documents
1594	<ul style="list-style-type: none"> Treated with methyl bromide fumigation for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation
6898	<ul style="list-style-type: none"> Irradiated for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Treatment certificate for irradiation
6899	<ul style="list-style-type: none"> Sourced from a pest free area for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> pest free area
6900	<ul style="list-style-type: none"> In-field controls for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Grower or exporter declaration attesting to in-field controls being applied for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i>. Note: No accredited farm or packhouse required.

New Zealand endorsement explanations and required supporting documents

Endorsement number	Citrus (Oranges, Mandarins, Lemons, Grapefruit, Limes, Tangelo, Tangor) Endorsement explanations	Required supporting documents
1638	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from: <ul style="list-style-type: none"> • South Australia • Tasmania • Citrus is sourced from a pest free area for: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) • Mediterranean fruit fly (<i>Ceratitis capitata</i>) 	<ul style="list-style-type: none"> • AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Riverland, TAS]
1648	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from: <ul style="list-style-type: none"> • Ord River Irrigation Area (WA) • Northern Territory • New South Wales (excluding Sunraysia, Riverina, Narromine, and Bourke) • Citrus is sourced from an area free from Mediterranean fruit fly (<i>Ceratitis capitata</i>) • Citrus has been treated with onshore cold treatment rates against: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) 	<ul style="list-style-type: none"> • Treatment certificate for onshore cold treatment and calibration record (see Micor for rate)

New Zealand endorsement explanations and required supporting documents

7522	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from Queensland • Citrus is sourced from an area free from Mediterranean fruit fly (<i>Ceratitis capitata</i>) • Citrus has been treated with onshore cold treatment rates against: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) 	<ul style="list-style-type: none"> • Treatment certificate for onshore cold treatment and calibration record (see Micor for rate)
7409	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from: <ul style="list-style-type: none"> • Ord River Irrigation Area (WA) • Northern Territory • New South Wales (excluding Sunraysia, Riverina, Narromine, and Bourke) • Citrus is sourced from an area free from Mediterranean fruit fly (<i>Ceratitis capitata</i>) • Citrus has been treated with in-transit cold treatment against: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) 	<ul style="list-style-type: none"> • In-transit cold treatment calibration record (see Micor for rate)

New Zealand endorsement explanations and required supporting documents

7524	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from Queensland • Citrus has been irradiated against: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) • Mediterranean fruit fly (<i>Ceratitis capitata</i>) 	<ul style="list-style-type: none"> • Treatment certificate for irradiation (see Micor for rate)
7524	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from Queensland • Citrus has been irradiated against: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) • Mediterranean fruit fly (<i>Ceratitis capitata</i>) 	<ul style="list-style-type: none"> • Treatment certificate for irradiation (see Micor for rate)
7524	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from Queensland • Citrus has been irradiated against: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) • Mediterranean fruit fly (<i>Ceratitis capitata</i>) 	<ul style="list-style-type: none"> • Treatment certificate for irradiation (see Micor for rate)

New Zealand endorsement explanations and required supporting documents

7523	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from Queensland • Citrus is sourced from an area free from Mediterranean fruit fly (<i>Ceratitis capitata</i>) • Citrus has been treated with in-transit cold treatment against: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) 	<ul style="list-style-type: none"> • In-transit cold treatment calibration record (see Micor for rate)
4681	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from: <ul style="list-style-type: none"> • Sunraysia (NSW/VIC) • Riverina • Narromine • Bourke (NSW) • The state of Victoria • The state of South Australia <p>OR</p> <ul style="list-style-type: none"> • A pest free area experiencing an outbreak of Queensland fruit fly (<i>Bactrocera tryoni</i>) • Citrus is sourced from an area free from: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Mediterranean fruit fly (<i>Ceratitis capitata</i>) • Citrus has been treated with onshore cold treatment against Queensland fruit fly (<i>Bactrocera tryoni</i>) 	<ul style="list-style-type: none"> • Treatment certificate for onshore cold treatment and calibration record (see Micor for rate)

New Zealand endorsement explanations and required supporting documents

7524	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from Queensland • Citrus has been irradiated against: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) • Mediterranean fruit fly (<i>Ceratitis capitata</i>) 	<ul style="list-style-type: none"> • Treatment certificate for irradiation (see Micor for rate)
7524	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from Queensland • Citrus has been irradiated against: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) • Mediterranean fruit fly (<i>Ceratitis capitata</i>) 	<ul style="list-style-type: none"> • Treatment certificate for irradiation (see Micor for rate)

New Zealand endorsement explanations and required supporting documents

7410	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from: <ul style="list-style-type: none"> • Sunraysia (NSW/VIC) • Riverina • Narromine • Bourke (NSW) • The state of Victoria • The state of South Australia <p>OR</p> <ul style="list-style-type: none"> • A pest free area experiencing an outbreak of Queensland fruit fly (<i>Bactrocera tryoni</i>) <ul style="list-style-type: none"> • Citrus is sourced from an area free from: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Mediterranean fruit fly (<i>Ceratitidis capitata</i>) • Citrus has been treated with in-transit cold treatment against Queensland fruit fly (<i>Bactrocera tryoni</i>) 	<ul style="list-style-type: none"> • In-transit cold treatment calibration record (see Micor for rate)
7524	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from Queensland • Citrus has been irradiated against: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) • Mediterranean fruit fly (<i>Ceratitidis capitata</i>) 	<ul style="list-style-type: none"> • Treatment certificate for irradiation (see Micor for rate)

New Zealand endorsement explanations and required supporting documents

2694	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from: <ul style="list-style-type: none"> • Western Australia (excluding the Ord River Irrigation Area) <p>OR</p> <ul style="list-style-type: none"> • A pest free area experiencing an outbreak of Mediterranean fruit fly (<i>Ceratitis capitata</i>) <ul style="list-style-type: none"> • Citrus is sourced from an area free from: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) <ul style="list-style-type: none"> • Citrus has been treated with onshore cold treatment against Mediterranean fruit fly (<i>Ceratitis capitata</i>) 	<ul style="list-style-type: none"> • Treatment certificate for onshore cold treatment and calibration record (see Micor for rate)
7411	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from: <ul style="list-style-type: none"> • Western Australia (excluding the Ord River Irrigation Area) <p>OR</p> <ul style="list-style-type: none"> • A pest free area experiencing an outbreak of Mediterranean fruit fly (<i>Ceratitis capitata</i>) <ul style="list-style-type: none"> • Citrus is sourced from an area free from: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) <ul style="list-style-type: none"> • Citrus has been treated with in-transit cold treatment against Mediterranean fruit fly (<i>Ceratitis capitata</i>) 	<ul style="list-style-type: none"> • In-transit cold treatment calibration record (see Micor for rate)

New Zealand endorsement explanations and required supporting documents

2695	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from any region in Australia except Queensland. • Citrus has been irradiated against: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) • Mediterranean fruit fly (<i>Ceratitis capitata</i>) 	<ul style="list-style-type: none"> • Treatment certificate for irradiation (see Micor for rate)
7524	<p>Applies when:</p> <ul style="list-style-type: none"> • Citrus is sourced from Queensland • Citrus has been irradiated against: <ul style="list-style-type: none"> • Northern Territory fruit fly (<i>Bactrocera aquilonis</i>) • Mango fruit fly (<i>Bactrocera frauenfeldi</i>) • Jarvis' fruit fly (<i>Bactrocera jarvisi</i>) • Krauss' fruit fly (<i>Bactrocera Kraussi</i>) • Lesser Queensland fruit fly (<i>Bactrocera neohumeralis</i>) • Queensland fruit fly (<i>Bactrocera tryoni</i>) • Mediterranean fruit fly (<i>Ceratitis capitata</i>) 	<ul style="list-style-type: none"> • Treatment certificate for irradiation (see Micor for rate)

New Zealand endorsement explanations and required supporting documents

Endorsement number	Cucumbers	
	Endorsement explanations	Required supporting documents
1639	<ul style="list-style-type: none"> Sourced from a fruit fly pest free area (Appendix 2) Sourced from an approved pest free place of production from <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Riverland, Ord River, TAS] AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
1627	<ul style="list-style-type: none"> The fruit arrives in New Zealand during the Winter Window 1 May – 1 September (Appendix 11) In-field controls for Cucumber fruit fly (<i>Bactrocera cucumis</i>) (Appendix 10) Sourced from a pest free area for Mediterranean fruit fly (<i>Ceratitis capitata</i>) Sourced from an approved pest free place of production from <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> Consignments can be authorised under winter window prior to 1 May as they must arrive in New Zealand on or after 1 May and by 1 September AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list for winter window AO inspection record identifies product origin to ensure it is from a Mediterranean fruit fly PFA [Ord River, QLD, NSW, VIC, NT, TAS, SA] AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
7601	<ul style="list-style-type: none"> Treated by irradiation (Appendix 12) Sourced from an approved pest free place of production from <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> Treatment certificate for irradiation AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV

New Zealand endorsement explanations and required supporting documents

Endorsement number	Endorsement explanations	Grapes	Required supporting documents
1574	<ul style="list-style-type: none"> Sourced from a fruit fly pest free area (Appendix 2) Treated by sulfur dioxide and carbon dioxide fumigation for redback spiders (<i>Lactrodectus hasselti</i>) In-field controls for <i>Conogethes punctiferalis</i> (Yellow Peach moth) Sourced from a pest free area free for Pink Hibiscus mealybug (<i>Maconellicoccus hirsutus</i>) 		<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Ord River, Riverland, TAS] Treatment certificate for sulfur dioxide and carbon dioxide fumigation AO inspection record identifies accredited farm and packhouse – Department to refer to <i>Accredited properties</i> list. Note: Packhouse number is not mandatory as grapes may have been field packed. AO inspection record identifies product origin to ensure it is a PFA for Pink Hibiscus mealybug [NSW, VIC, SA, WA, TAS]
1577	<ul style="list-style-type: none"> Treated with cold treatment (onshore or in-transit) (Appendix 5) Treated by sulfur dioxide and carbon dioxide fumigation for redback spiders (<i>Lactrodectus hasselti</i>) In-field controls for Yellow Peach moth (<i>Conogethes punctiferalis</i>) Sourced from a pest free area free for Pink Hibiscus mealybug (<i>Maconellicoccus hirsutus</i>) 		<ul style="list-style-type: none"> Treatment certificate for onshore cold treatment OR in-transit cold treatment calibration record Treatment certificate for sulfur dioxide and carbon dioxide fumigation AO inspection record identifies accredited farm and packhouse – Department to refer to <i>Accredited properties</i> list. Note: Packhouse number is not mandatory as grapes may have been field packed. AO inspection record identifies product origin to ensure it is a PFA for Pink Hibiscus mealybug [NSW, VIC, SA, WA, TAS]
7977	<ul style="list-style-type: none"> Treated with cold treatment (onshore or in-transit) (Appendix 5) Treated by sulfur dioxide and carbon dioxide fumigation for redback spiders (<i>Lactrodectus hasselti</i>) In-field controls for Yellow Peach moth (<i>Conogethes punctiferalis</i>) and Pink hibiscus mealybug (<i>Maconellicoccus hirsutus</i>). 		<ul style="list-style-type: none"> Treatment certificate for onshore cold treatment OR in-transit cold treatment calibration record Treatment certificate for sulfur dioxide and carbon dioxide fumigation AO inspection record identifies accredited farm and packhouse – Department to refer to <i>Accredited properties</i> list. Note: Packhouse number is not mandatory as grapes may have been field packed.
5716	<ul style="list-style-type: none"> Treated by irradiation (Appendix 12) Treated by sulfur dioxide and carbon dioxide fumigation for redback spiders (<i>Lactrodectus hasselti</i>) In-field controls for Yellow Peach moth (<i>Conogethes punctiferalis</i>) [ONLY IF IRRADIATION IS <289GY] Sourced from a pest free area free for Pink hibiscus mealybug (<i>Maconellicoccus hirsutus</i>) 		<ul style="list-style-type: none"> Treatment certificate for irradiation AO inspection record identifies accredited farm and packhouse – Department to refer to <i>Accredited properties</i> list. Note: Packhouse number is not mandatory as grapes may have been field packed (ONLY REQUIRED IF IRRADIATION IS <289 Gy) Treatment certificate for sulfur dioxide and carbon dioxide fumigation AO inspection record identifies product origin to ensure it is a PFA for Pink Hibiscus mealybug [NSW, VIC, SA, WA, TAS]

New Zealand endorsement explanations and required supporting documents

7650	<ul style="list-style-type: none"> Treated by irradiation (Appendix 12) Treated by sulfur dioxide and carbon dioxide fumigation for redback spiders (<i>Lactrodectus hasselti</i>) In-field controls for Yellow Peach moth (<i>Conogethes punctiferalis</i>) and Pink hibiscus mealybug (<i>Maconellicoccus hirsutus</i>). 	<ul style="list-style-type: none"> Treatment certificate for irradiation Treatment certificate for sulfur dioxide and carbon dioxide fumigation AO inspection record identifies accredited farm and packhouse – Department to refer to <i>Accredited properties</i> list. Note: Packhouse number is not mandatory as grapes may have been field packed. (ONLY REQUIRED IF IRRADIATION IS <289 Gy)
------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Endorsement number	Endorsement explanations	Required supporting documents
Honeydew melons		
1628	<ul style="list-style-type: none"> The fruit arrives in New Zealand during the Winter Window 1 May – 1 September (Appendix 11) In-field controls for Cucumber fruit fly (<i>Bactrocera cucumis</i>) (Appendix 10) Sourced from a pest free area for Mediterranean fruit fly (<i>Ceratitis capitata</i>) Sourced from a pest free place of production for <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> Consignments can be authorised under winter window prior to 1 May as they must arrive in New Zealand on or after 1 May and by 1 September AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list AO inspection record identifies product origin to ensure it is from a Mediterranean fruit fly PFA [Ord River, QLD, NSW, VIC, NT, TAS, SA] AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
6810	<ul style="list-style-type: none"> Treated by irradiation (Appendix 12) Sourced from a pest free place of production for <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> Treatment certificate for irradiation AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
1640	<ul style="list-style-type: none"> Sourced from a fruit fly pest free area (Appendix 2) Sourced from a pest free place of production for <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Riverland, Sunraysia, Riverina, TAS] AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
3576	<ul style="list-style-type: none"> Treated by dimethoate dipping (Appendix 4) In-field controls for Cucumber fruit fly (<i>Bactrocera cucumis</i>) (Appendix 10) Sourced from a pest free place of production for <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> Treatment certificate for dimethoate dipping AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV

New Zealand endorsement explanations and required supporting documents

Lettuce		
Endorsement number	Endorsement explanations	Required supporting documents
1616	<ul style="list-style-type: none"> Treated with methyl bromide fumigation for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation
6902	<ul style="list-style-type: none"> Irradiated for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Treatment certificate for irradiation
6903	<ul style="list-style-type: none"> Sourced from a pest free area for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> pest free area
6904	<ul style="list-style-type: none"> In-field controls for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Grower or exporter declaration attesting to in-field controls being applied for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i>. Note: No accredited farm or packhouse required.

Lychees		
Endorsement number	Endorsement explanations	Required supporting documents
2298	<ul style="list-style-type: none"> Treated by irradiation (Appendix 12) 	<ul style="list-style-type: none"> Treatment certificate for irradiation (150 Gy or above)

Mangoes		
Endorsement number	Endorsement explanations	Required supporting documents

New Zealand endorsement explanations and required supporting documents

3287	<ul style="list-style-type: none"> Treated by irradiation (Appendix 12) 	<ul style="list-style-type: none"> Treatment certificate for irradiation (289 Gy or above)
------	----------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------

Papaya		
Endorsement number	Endorsement explanations	Required supporting documents
3425	<ul style="list-style-type: none"> Treated by irradiation (Appendix 12) In-field controls for Yellow Peach moth (<i>Conogethes punctiferalis</i>) 	<ul style="list-style-type: none"> Treatment certificate for irradiation AO inspection record identifies accredited farm and packhouse – Department to refer to NZ <i>Approved Entities</i> list. Note: Only required where irradiation is <289gy.

Parsley		
Endorsement number	Endorsement explanations	Required supporting documents
1623	<ul style="list-style-type: none"> Treated with methyl bromide fumigation for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation
6906	<ul style="list-style-type: none"> Irradiated for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Treatment certificate for irradiation
6907	<ul style="list-style-type: none"> Sourced from a pest free area for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	AO inspection record identifies product origin to ensure it is from a <i>Liriomyza</i> <ul style="list-style-type: none"> <i>huidobrensis</i> and <i>Liriomyza trifolii</i> pest free area
6908	<ul style="list-style-type: none"> In-field controls for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Grower or exporter declaration attesting to in-field controls being applied for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i>. Note: No accredited farm or packhouse required.

New Zealand endorsement explanations and required supporting documents

Peas, green / snow / sugar snap		
Endorsement number	Endorsement explanations	Required supporting documents
1624	<ul style="list-style-type: none"> In-field controls for tobacco whitefly (<i>Bemisia tabaci</i>) Treated with methyl bromide fumigation for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Grower or exporter declaration attesting to in-field controls being applied for tobacco whitefly (<i>Bemisia tabaci</i>). Note: No accredited farm or packhouse required. Treatment certificate for methyl bromide fumigation
6910	<ul style="list-style-type: none"> In-field controls for tobacco whitefly (<i>Bemisia tabaci</i>) Irradiated for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Grower or exporter declaration attesting to in-field controls being applied for tobacco whitefly (<i>Bemisia tabaci</i>). Note: No accredited farm or packhouse required. Treatment certificate for irradiation
6911	<ul style="list-style-type: none"> In-field controls for tobacco whitefly (<i>Bemisia tabaci</i>) Sourced from a pest free area for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Grower or exporter declaration attesting to in-field controls being applied for tobacco whitefly (<i>Bemisia tabaci</i>). Note: No accredited farm or packhouse required. AO inspection record identifies product origin to ensure it is from a <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> pest free area
6912	<ul style="list-style-type: none"> In-field controls for tobacco whitefly (<i>Bemisia tabaci</i>) In-field controls for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i> 	<ul style="list-style-type: none"> Grower or exporter declaration attesting to in-field controls being applied for tobacco whitefly (<i>Bemisia tabaci</i>). Note: No accredited farm or packhouse required. Grower or exporter declaration attesting to in-field controls being applied for <i>Liriomyza huidobrensis</i> and <i>Liriomyza trifolii</i>. Note: No accredited farm or packhouse required.

New Zealand endorsement explanations and required supporting documents

Pumpkins		
Endorsement number	Endorsement explanations	Required supporting documents
6502	<ul style="list-style-type: none"> Sourced from a fruit fly pest free area (Appendix 2) Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV) 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Sunraysia, Riverland, Riverina, TAS]. AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
7597	<ul style="list-style-type: none"> The fruit arrives in New Zealand during the Winter Window 1 May – 1 September (Appendix 11) In-field controls for Cucumber fruit fly (<i>Bactrocera cucumis</i>) (Appendix 10) Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV) 	<ul style="list-style-type: none"> Consignments can be authorised under winter window prior to 1 May as they must arrive in New Zealand on or after 1 May and by 1 September AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
7598	<ul style="list-style-type: none"> Treated with irradiation (Appendix 12) Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV) 	<ul style="list-style-type: none"> Treatment certificate for irradiation AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV

Pears		
Endorsement number	Endorsement explanations	Required supporting documents
1575	<ul style="list-style-type: none"> Sourced from a fruit fly pest free area (Appendix 2) 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Riverland, TAS]
1578	<ul style="list-style-type: none"> Treated with cold treatment (onshore or in-transit) (Appendix 5) 	<ul style="list-style-type: none"> Treatment certificate for onshore cold treatment OR in-transit cold treatment calibration record
7841	<ul style="list-style-type: none"> Treated by irradiation (Appendix 12) 	<ul style="list-style-type: none"> Treatment certificate for irradiation

New Zealand endorsement explanations and required supporting documents

Rockmelons		
Endorsement number	Endorsement explanations	Required supporting documents
1630	<ul style="list-style-type: none"> The fruit arrives in New Zealand during the Winter Window 1 May – 1 September (Appendix 11) In-field controls for Cucumber fruit fly (<i>Bactrocera cucumis</i>) (Appendix 10) Sourced from a pest free area for Mediterranean fruit fly (<i>Ceratitidis capitata</i>) Sourced from a pest free place of production for <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> Consignments can be authorised under winter window prior to 1 May as they must arrive in New Zealand on or after 1 May and by 1 September AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list AO inspection record identifies product origin to ensure it is from a Mediterranean fruit fly PFA [Ord River, QLD, NSW, VIC, NT, TAS, SA] AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
6808	<ul style="list-style-type: none"> Treated by irradiation (Appendix 12) Sourced from a pest free place of production for <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> Treatment certificate for irradiation AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
1631	<ul style="list-style-type: none"> Sourced from a fruit fly pest free area (Appendix 2) Sourced from a pest free place of production for <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Riverland, Sunraysia, Riverina, TAS] AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
1646	<ul style="list-style-type: none"> Treated by dimethoate dipping (Appendix 4) Sourced from a pest free place of production for <i>Cucumber green mottle mosaic virus</i> (CGMMV) 	<ul style="list-style-type: none"> Treatment certificate for dimethoate dipping AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV

New Zealand endorsement explanations and required supporting documents

Scallopini		
Endorsement number	Endorsement explanations	Required supporting documents
1632	<ul style="list-style-type: none"> Sourced from a pest free area from Mediterranean fruit fly (<i>Ceratitis capitata</i>) and Cucumber fruit fly (<i>Bactrocera cucumis</i>) Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a Mediterranean fruit fly PFA [Ord River, QLD, NSW, VIC, NT, TAS, SA] AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV.
6805	<ul style="list-style-type: none"> Treated with irradiation (Appendix 12) Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV) 	<ul style="list-style-type: none"> Treatment certificate for irradiation AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
2533	<ul style="list-style-type: none"> The fruit arrives in New Zealand during the Winter Window 1 May – 1 September (Appendix 11) Sourced from a pest free area from Mediterranean fruit fly (<i>Ceratitis capitata</i>) In-field controls for Cucumber fruit fly (<i>Bactrocera cucumis</i>) (Appendix 10) Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). 	<ul style="list-style-type: none"> Consignments can be authorised under winter window prior to 1 May as they must arrive in New Zealand on or after 1 May and by 1 September AO inspection record identifies product origin to ensure it is from a Mediterranean fruit fly PFA [Ord River, QLD, NSW, VIC, NT, TAS, SA] AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV

New Zealand endorsement explanations and required supporting documents

Endorsement number	Squash	
	Endorsement explanations	Required supporting documents
6502	<ul style="list-style-type: none"> Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). Sourced from a pest free area from Cucumber fruit fly (<i>Bactrocera cucumis</i>) 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a Mediterranean fruit fly PFA [Ord River, QLD, NSW, VIC, NT, TAS, SA] AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV.
7599	<ul style="list-style-type: none"> Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV) The fruit arrives in New Zealand during the Winter Window 1 May – 1 September (Appendix 11) In-field controls for Cucumber fruit fly (<i>Bactrocera cucumis</i>) (Appendix 10). 	<ul style="list-style-type: none"> Consignments can be authorised under winter window prior to 1 May as they must arrive in New Zealand on or after 1 May and by 1 September AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV.
7600	<ul style="list-style-type: none"> Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). Treated with irradiation (Appendix 12) 	<ul style="list-style-type: none"> Treatment certificate for irradiation AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV

New Zealand endorsement explanations and required supporting documents

Strawberries		
Endorsement number	Endorsement explanations	Required supporting documents
1573	<ul style="list-style-type: none"> Sourced from a fruit fly pest free area (Appendix 2) 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Ord River, Riverland, TAS]
6809	<ul style="list-style-type: none"> Treated with irradiation (Appendix 12) 	<ul style="list-style-type: none"> Treatment certificate for irradiation
1576	<ul style="list-style-type: none"> Treated with methyl bromide fumigation (Appendix 3) 	<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation

Sweetcorn		
Endorsement number	Endorsement explanations	Required supporting documents
1650	<ul style="list-style-type: none"> In-field controls for Corn smut (<i>Ustilago maydis</i>) and Maize downy mildew (<i>Peronosclerospora maydis</i>). <i>Peronosclerospora sorghi</i> (Sorghum downy mildew) is not known to occur in Australia. 	<ul style="list-style-type: none"> AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list No evidence is required for freedom of <i>Peronosclerospora sorghi</i> (Sorghum downy mildew)

Tomatoes		
Endorsement number	Endorsement explanations	Required supporting documents
1634	<ul style="list-style-type: none"> Sourced from a fruit fly pest free area (Appendix 2) 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Ord River, Riverland, TAS]
2530	<ul style="list-style-type: none"> Treated with irradiation (Appendix 12) 	<ul style="list-style-type: none"> Treatment certificate for irradiation (150 Gy or above)

New Zealand endorsement explanations and required supporting documents

Endorsement number	Watermelons	
	Endorsement explanations	Required supporting documents
6504	<ul style="list-style-type: none"> Treated with methyl bromide fumigation (Appendix 3) In-field controls for Cucumber fly (<i>Bactrocera cucumis</i>) (Appendix 10) Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). 	<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
6505	<ul style="list-style-type: none"> The fruit arrives in New Zealand during the Winter Window 1 May – 1 September (Appendix 11) In-field controls for Cucumber fruit fly (<i>Bactrocera cucumis</i>) (Appendix 10) Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). 	<ul style="list-style-type: none"> Consignments can be authorised under winter window prior to 1 May as they must arrive in New Zealand on or after 1 May and by 1 September AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
6506	<ul style="list-style-type: none"> Sourced from a fruit fly pest free area (Appendix 2) Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). 	<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Sunraysia, Riverland, Riverina, TAS] AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV
7602	<ul style="list-style-type: none"> Treated by irradiation (Appendix 12) Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). 	<ul style="list-style-type: none"> Treatment certificate for irradiation AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV

New Zealand endorsement explanations and required supporting documents

Endorsement number	Endorsement explanations	Zucchini's	Required supporting documents
1636	<ul style="list-style-type: none"> Sourced from a fruit fly pest free area (Appendix 2) Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). In-field controls for Thrips palmi (Appendix 10) 		<ul style="list-style-type: none"> AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Sunraysia, Riverland, Riverina, TAS] AO inspection record identifies farm – Department to refer to <i>NZ Approved Entities</i> list for approved PFPPs for CGMMV AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list
6806	<ul style="list-style-type: none"> Treated with irradiation (Appendix 12) Produced in a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). In-field controls for Thrips palmi (Appendix 10) 		<ul style="list-style-type: none"> Treatment certificate for irradiation AO inspection record identifies farm – Department to refer to NZ Approved Entities list for approved PFPPs for CGMMV AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list
6807	<ul style="list-style-type: none"> Treated with methyl bromide fumigation (Appendix 3) Treated with irradiation (Appendix 12) Produced in a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). 		<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation AO inspection record identifies farm – Department to refer to NZ Approved Entities list for approved PFPPs for CGMMV
3339	<ul style="list-style-type: none"> The fruit arrives in New Zealand during the Winter Window 1 May – 1 September (Appendix 11) Sourced from a pest free area from Mediterranean fruit fly (<i>Ceratitis capitata</i>) In-field controls for Cucumber fruit fly (<i>Bactrocera cucumis</i>) (Appendix 10) Produced in a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). In-field controls for Thrips palmi.(Appendix 10) 		<ul style="list-style-type: none"> Consignments can be authorised under winter window prior to 1 May as they must arrive in New Zealand on or after 1 May and by 1 September AO inspection record identifies product origin to ensure it is from a Mediterranean fruit fly PFA [Ord River, QLD, NSW, VIC, NT, TAS, SA] AO inspection record identifies accredited farm and packhouse – Department to refer to NZ Approved Entities list AO inspection record identifies farm – Department to refer to NZ Approved Entities list for approved PFPPs for CGMMV AO inspection record identifies accredited farm and packhouse – Department to refer to <i>NZ Approved Entities</i> list
2687	<ul style="list-style-type: none"> Treated with methyl bromide fumigation (Appendix 3) Sourced from a fruit fly pest free area (Appendix 2) 		<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation AO inspection record identifies product origin to ensure it is from a fruit fly PFA [Sunraysia, Riverland, Riverina, TAS]

New Zealand endorsement explanations and required supporting documents

	<ul style="list-style-type: none"> Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV). 	<ul style="list-style-type: none"> AO inspection record identifies farm – Department to refer to NZ Approved Entities list for approved PFPPs for CGMMV
2686	<ul style="list-style-type: none"> Treated with methyl bromide fumigation (Appendix 3) The fruit arrives in New Zealand during the Winter Window 1 May – 1 September (Appendix 11) Sourced from a pest free area for Mediterranean fruit fly (<i>Ceratitis capitata</i>) In-field controls for Cucumber fruit fly (<i>Bactrocera cucumis</i>) (Appendix 10) Sourced from a pest free place of production for Cucumber green mottle mosaic virus (CGMMV) 	<ul style="list-style-type: none"> Treatment certificate for methyl bromide fumigation Consignments can be authorised under winter window prior to 1 May as they must arrive in New Zealand on or after 1 May and by 1 September AO inspection record identifies product origin to ensure it is from a Mediterranean fruit fly PFA [Ord River, QLD, NSW, VIC, NT, TAS, SA] AO inspection record identifies accredited farm and packhouse – Department to refer to NZ Approved Entities list AO inspection record identifies farm – Department to refer to NZ Approved Entities list for approved PFPPs for CGMMV