Page 1 of 3

Name and Address of Exporter			Name and Address of Importer	
AUSTRALIA			ZIMBABWE	
			Import Permit Nº	
Description of	Animal Reproductive Mate	erial		
Number	Kind (Species and type;	Condition (Fresh/Frozen)		Identification (straw
	eg bovine semen)			numbers, packing list)
	POWWE SPACE	ED OZENI	OMD AVAIG	CDD A MM A CAADD
	EQUINE SEMEN	FROZEN STRAWS		SEE ATTACHED
	an approved (Name of			hat the goods described in
the following p	pages have complied with the	he importing	country requirements.	
Signature (pd	f. doc only)		Date	
	• /			

## DONOR STALLION AND SEMEN

1. Information on the donor stallion

Breed	Date of Birth	Country of birth	Name or Number

- 2. Information concerning the semen
  - a) Date(s) of collection:
  - b) Number of ampoules/straws and volume of each:
- 3. Origin of the semen
  - a) Name and address of Artificial Insemination Centre:
  - b) Name of donor stallion(s):
  - c) Identification marks
  - d) Method and degree of dilution (With statement of preservative and antibiotics used)
- 4. Destination of Semen
  - a) Name and address of Exporter.....
  - b) Name and address of consignee.....
  - c) Means of transportation and available details of shipment.......

## **Declaration by Official Veterinarian**

I, Dr XXXXXX, a salaried veterinary officer of the Australian Department of Agriculture, do hereby certify the following in relation to the semen for export listed in this certificate that:

- a) the semen referred to above was collected at an official artificial insemination center which is under the control and supervision of a veterinarian approved by the Department of Agriculture.
- b) the donor stallions
  - i) had been continuously resident at the AI center concerned for a period of at least 30 days prior to the collection of the semen and in that time had not been used for natural mating.
  - ii) have been in the exporting country since birth, or for a continuous period of at least 12 months prior to the collection of semen.
  - iii) emanate from premises which have been free of equine infectious anaemia, equine encephalitis; contagious equine metritis, for at least 12 months prior to the collection of semen, had in the case of contagious equine metritis, since the commencement of the previous breeding season.
  - iv) were tested for glanders and for dourine, with negative results within 30 days prior to collection of semen or; alternatively; the exporting country is free from these diseases;
  - v) were examined by him within 21days prior to collection of semen and found to be clinically healthy and free of communicable diseases to which the species is susceptible;

	Page 3 of 3
vi)	have passed with negative results the agar gel immuno-diffusion or Coggins test for
	equine infectious anaemia within 21 days prior to collection of semen.
vii)	are to be tested three (3) times for contagious equine metritis at intervals of not less than seven (7) days within the 30 days immediately prior to collection of semen.  Swabs must be taken from the sheath, urethra and urethral fossa for each of the three tests. After testing, the animal is to be kept in isolation until the time of collection of the
viii)	semen; in premises certified to be free of contagious equine metritis; and twice for equine viral arteritis with an interval of 21 days between tests; the last test was
	within 21 days of collection of semen.