

Name and Address of Exporter AUSTRALIA		Name and Address of Importer NEW ZEALAND	
		Import Permit N^o	
Description of Animal Reproductive Material			
<u>Number</u>	<u>Kind (Species and type; eg bovine semen)</u>	<u>Condition (Fresh/Frozen)</u>	<u>Identification (straw numbers, packing list)</u>
	BOVINE SEMEN	FROZEN STRAWS	SEE ATTACHED

I, Dr, an approved (Name of SCC) SCC's Veterinarian, declare that the goods described in the following pages have complied with the importing country requirements.

.....
Signature (pdf. doc only)

.....
Date

1. Animal Health Declaration

- 1.1. ~~Australia is free from bovine brucellosis (B. abortus and B. melitensis), bovine herpes virus 1.1 and 1.2a, bovine viral diarrhoea virus 2, contagious bovine pleuropneumonia, foot and mouth disease (without vaccination), lumpy skin disease, Rift Valley fever and bovine tuberculosis (Mycobacterium bovis).~~

2. Semen Collection and Processing Centre

- 2.1. At the time of collection of this consignment for New Zealand, the semen collection centre was:
- approved and supervised by the Department of Agriculture for export.
 - subjected to regular audits at intervals of no more than 12 months, and inspected within 12 months of each collection date in the consignment by an Official Veterinarian.
 - under the supervision of a semen collection centre veterinarian designated for this purpose by the Department of Agriculture.
- 2.2. When donors were transferred from one approved semen collection centre to another of equal health status without isolation or testing, the following conditions were applied:
- donors were examined, by the approved semen collection centre veterinarian, on the day of entry into the centre and showed no evidence of infectious disease transmissible in semen.
 - transfer was direct.
 - donors did not come into direct or indirect contact with animals of a lower health status.
 - the means of transport used was disinfected before use.

3. Donor males

- 3.1. Were born and raised in Australia (or New Zealand)
- 3.2. Before entry into semen collection centre (SCC) the donor animals were held in pre-entry isolation, isolated from animals not of equivalent tested health status and were not used for natural mating.
- 3.3. The donors were examined regularly by the SCC veterinarian and there was no evidence of clinical signs of WOAHL listed diseases transmissible by semen throughout their residence.
- 3.4. The approved semen collection centre veterinarian ensured that, on the day(s) of collection of the semen, the health status of each donor was monitored and recorded, and the donor did not show any clinical evidence of infectious diseases transmissible in semen.

4. Laboratory testing

- 4.1. All testing was performed in a National Association of Testing Authorities (NATA) accredited laboratory (if applicable).
- 4.2. All laboratory samples required by this veterinary certificate have been collected, processed, and stored in accordance with the WOAHL's recommendations or as described in Approved Diagnostic Tests, Vaccines, Treatments and Post-Arrival Testing Laboratories for Animal Import Health Standards, MPI-STD-TVTL, found here <https://www.mpi.govt.nz/dmsdocument/2040/>
- 4.3. All diagnostic test(s) that are required have been approved by MPI for that purpose, administered according to manufacturer's instruction and documented in MPI-STD-TVTL.

5. SPECIFIC REQUIREMENTS FOR IDENTIFIED RISK ORGANISMS**5.1 Bovine Herpes Virus 5 (BHV5)**

- 5.1.1 The semen donor's centres of residence have had no cases of BHV 5 (suspected or diagnosed) in the year prior to semen collection for export to New Zealand.

5.2 Bovine Leukaemia Virus (Enzootic Bovine Leukosis, EBL)

(*Delete non applicable)

- 5.2.1 The semen donor was resident at the time of semen collection in a herd certified as free from EBL; and if less than two years of age, the bull came from a serologically negative 'uterine' dam; **OR***

- 5.2.2 was subjected to diagnostic tests (AGID or ELISA) for EBL on blood samples on 2 occasions with negative results, the first being carried out at least 30 days before and the second test at least 90 days after the collection of the semen; **OR***
- 5.2.3 an aliquot of semen from each collection of each donor for this consignment was tested by PCR with negative results; **OR***
- 5.2.4 an aliquot of semen from each collection of each donor for this consignment was tested by virus isolation with negative results. **OR***
- 5.2.5.a The semen donor must be subjected to a test listed in MPI-STD-TVTL for EBL on two occasions with negative results, the first test being carried out within the 6 months before collection and the second test at least 21 days after collection of the semen; **AND**
- 5.2.5.b Separation of export bulls and domestic bulls from the time of test sampling before pre-entry isolation to the start of pre-entry isolation; **AND**
- 5.2.5.c Physical examination by the centre veterinarian of all bulls and mount animal donors (in contact with the donor for New Zealand) to determine that they do not display any clinical symptoms of any infectious disease at the start of pre-entry isolation.

5.3 **Brucella suis**

- 5.3.1 There have been no feral pigs observed on the grounds of the collection centre while the donor has been in residence; **AND**
- 5.3.2 If *Brucella* spp. infection was suspected at any property where the donor has lived, *B. suis* was investigated as the cause.

5.4 **Campylobacter fetus subspecies venerealis (Cfv) (bovine genital campylobacteriosis, BGC)**

*(*Delete non applicable)*

- 5.4.1 The collection centre had a programme aligned with the WOA Code, to prevent Cfv infected animals from entering the collection herd, and there had been no case of bovine genital campylobacteriosis reported in the centre 1 year prior to collection; **OR***
- 5.4.2 The donor has had at least one culture of semen or preputial specimens in the last 6 months, and all cultures conducted in the last 6 months have been negative.

5.5 **Coxiella burnetii (Q-fever)**

*(*Delete non applicable)*

- 5.5.1 The donor has never been confirmed positive for Q fever; **AND EITHER:**
- 5.5.2 Donors were subjected to a serological test listed in MPI-STD-TVTL for Q fever, on a sample collected between 21 and 120 days after each germplasm collection for export to New Zealand, with negative results; **OR***
- 5.5.3 An aliquot of semen from each germplasm collection for export to New Zealand was tested for Q fever with a test listed in MPI-STD-TVTL, with negative results; **OR***
- 5.5.4 Within the 6 month period before or after germplasm collection for New Zealand, but before export, the semen collection centre herd was tested for Q fever, using a test listed in MPI-STD-TVTL, with negative results. The Q fever test must be:
- a) performed on either the whole herd or a random sample of at least 60 animals (whichever is the lesser number); **AND**
 - b) the herd was isolated for the period between semen collection and diagnostic sampling.

5.6 **Leptospira interrogans serovar hardjoprajitno (leptospirosis)**

- 5.6.1 Antibiotics have been added in accordance with the WOA Code.

5.7 **Mycoplasma bovis**

*(*Delete non applicable)*

- 5.7.1 Collection and processing of semen was in accordance with the recommendations of the WOA Code, with the modifications indicated in MPI-STD-TVTL; **OR***
- 5.7.2 The semen donor was subjected to a test for M. bovis listed in MPI-STD-TVTL, with negative results; **OR***
- 5.7.3 Each semen collection for export to New Zealand was tested with a validated test for M. bovis in accordance with MPI-STD-TVTL, with negative results.

6. Storage and transport

(*Delete non applicable)

- 6.1 The transport container in which the germplasm is to be transported to New Zealand is **new*** or **disinfected*** and is free of contamination. The disinfectant used, its active chemical and date of disinfection is recorded in Attachment 1 of this zoosanitary certificate.
- 6.2 All transport containers in which germplasm is transported to New Zealand have been sealed, by either the semen collection centre/herd veterinarian or an Official Veterinarian, using tamper-evident seals that are positioned to ensure that no germplasm can be added after the transport container has been sealed.
*Where the germplasm is transferred from one transport container to another:
- Date of transfer _____
 - Name of approved collection centre/herd _____
 - Reason for transfer _____
 - Name of veterinarian involved in the transfer _____
- 6.3 Semen collection, processing and storage complied with the sections relevant for bovine semen in the Code chapter Collection and Processing of Bovine, Small Ruminant, and Porcine Semen, unless stated otherwise in this veterinary certificate.
- 6.4 Where testing must be within a certain time period before or after semen collection:
- Semen collection may be a time period of up to 60 consecutive days. Where collection for New Zealand lasts for longer than 60 days, additional tests will be required, and the certificate should stipulate the collection period dates.
 - Test samples must have been collected within the specified period before the first day of the semen collection where testing is required before semen collection.
 - Test samples must have been collected within the specified period after the last day of the semen collection period where testing is required after semen collection.
- 6.5 The cryogenic or cooling agent used in the freezing process, storage and transport has not been used previously in association with any other product of animal origin.
- 6.6 All straws have been sealed, and clearly and permanently marked to identify the donor and the date(s) of freezing. The markings conform to international standards of the International Committee for Animal Recording (ICAR). *If a code is used for this information, its decipher instructions must accompany the consignment.
- 6.7 The semen has only been stored and transported with germplasm that has been collected and processed in accordance with the WOA Code.
- 6.8 The semen has been held in a storage place approved by the Competent Authority of the exporting country until the time of export.

Container seal number: ~~XXXXXX~~

Transport container S/N:	New or disinfected:	
	Disinfectant used:	
	Active chemical:	
	Date of disinfection:	

Donor information				
Name	Date of entry into SCC	Name of SCC	Address of SCC	SCC approval number

Semen information			
Donor ID	Date/s of collection	Straw ID	No. of Straws

Test information														
Donor ID	Collection period for consignment		EBL			Campylobacter			Q Fever			Mycoplasma bovis		
	Collection period start	Collection period end	Test sampling date	Test type	Result	Test sampling date	Test type	Result	Test sampling date	Test type	Result	Test sampling date	Test type	Result