

Name and Address of Exporter		Name and Address of Importer	
AUSTRALIA		CANADA	
		Import Permit N^o	
Description of Animal Reproductive Material			
<u>Number</u>	<u>Kind (Species and type; eg bovine semen)</u>	<u>Condition (Fresh/Frozen)</u>	<u>Identification (straw numbers, packing list)</u>
	BOVINE EMBRYOS	FROZEN STRAWS	SEE ATTACHED

I, Dr, an approved Embryo Transfer Veterinarian (ETV) declare that the goods described in the following pages have complied with the importing country requirements.

Signature (pdf. doc only)

Date

Commodity: EMBRYOS FROM CATTLE
 To: CANADA
 Import Permit Number:
 Exporting Country: AUSTRALIA
 Competent Authority: DEPARTMENT OF AGRICULTURE, WATER AND THE ENVIRONMENT ("THE DEPARTMENT")

INFORMATION CONCERNING THE DONOR ANIMALS

Name of Donor Sire: See attachment
Registered Number: See attachment
Species: Bovine
Breed: See attachment
Dates at Collection Centre: See attachment
Dates of Collection: See attachment
Number of straws:
Identification of straws: See attachment

Name and address of exporter:

Name and address of owner:

Name, address and approval/registration number of embryo collection centre:

Registration No:

Name and address of importer:

1. ~~Australia is officially free of the following diseases:~~

- ~~Contagious bovine pleuropneumonia~~
- ~~Rinderpest~~
- ~~Vesicular stomatitis~~

2. The donor dam(s) were subjected to an intradermal test using bovine tuberculin performed within the thirty (30) days prior to collection or within the ninety (90) days immediately after the last collection with negative results (*delete as appropriate*).
3. The donor animal(s) have been continuously resident in the country or zone of origin for a minimum of six (6) months immediately prior to collection of the exported germplasm or the donor animal(s) have been imported directly from Canada into the country in which the germplasm was collected.
4. The animal(s) from which the exported germplasm was sourced have been examined and found free from clinical evidence of communicable disease during every procedure related to the preparation and collection of germplasm.

5. The animal(s) or bird(s) from which the exported germplasm was sourced and all livestock in contact with the donor animal(s) or bird(s) have been examined and found free from clinical evidence of disease at least thirty (30) days after the final collection of exported germplasm.
6. The donor animal(s) have been continuously resident in the herd or flock of origin for a minimum of thirty (30) days immediately prior to collection of the exported germplasm.
7. The exported embryos/oocysts have been collected and processed by an embryo collection team approved by the Department.
8. The exported germplasm have been collected and processed at a facility under the supervision of a veterinarian designated for this purpose by the Department, Australia. The facility at which the exported germplasm was collected has not been subject to any restriction or quarantine measure with respect to animal disease.
9. The embryos have been conceived with semen from a donor sire standing at a semen collection centre approved by the Department. OR

The donor sire(s) used to fertilize the exported embryos have met the same residency and zoosanitary requirements as would be needed for the donor sire(s) to be eligible to enter an approved collection centre for the collection of semen for exportation to Canada. OR

The embryos have been conceived by artificial insemination with semen imported directly from Canada or semen that would meet current requirements for importation into Canada.
10. The embryos have been washed, treated and processed in accordance with the protocol detailed in the Manual of the International Embryo Transfer Society (IETS); for washings and treatments, this means that ten (10) washings and two (2) trypsin treatments are required in the following sequence: 5 washing - 2 trypsin treatments - 5 washings. The zona pellucida of the embryos was examined on the entire surface using a magnification of not less than 50X and certified intact and free of adherent material.
11. Fluids, media and ingredients of animal origin used for collection , processing, freezing or transport have been imported from North America, New Zealand or Australian sources (OIE International Zoosanitary code 8th edition appendix 4.2.3.3) and / or sterilized in accordance with the Manual of the International Embryo Transfer Society. Antibiotics must be added to the collection, washing, processing and storage media in accordance with the Manual of the International Embryo Transfer Society.

The entire surface of the zona pellucida of each embryo have been examined at not less than 50X magnification and found intact and free from adherent material, prior to freezing or shipment of the embryos to Canada. Micromanipulated embryos must be examined prior to any micromanipulation which involves penetration of the zona pellucida.
12. The germplasm presented for import into Canada have been collected, processed and stored in a hygienic manner that prevented contamination with pathogenic microorganisms. All material with animal ingredients used in the processing of the germplasm have been sourced and processed to prevent introduction of pathogenic microorganisms. All equipment used to collect, handle, wash, freeze and store the germplasm presented for import into Canada are new, or sterilized prior to use.
13. Straws or ampules contain germplasm from only one donor. The cryogenic or cooling agent used in the process has not been used in association with any other product of animal origin. The straws or ampules were sealed prior to the time of freezing.

14. The frozen germplasm presented for importation into Canada have been stored in sterile ampules, straws or receptacles in sanitized liquid nitrogen containers at an approved storage place for a minimum period of thirty (30) days prior to export.
15. Embryos presented for importation into Canada have been stored in a sealed container in ampules, straws or other receptacles indelibly marked in accordance with the recommendations of the International Embryo Transfer Society (IETS) for labelling. The receptacles have been labelled with at least the following information: practitioner code, donor breed, donor registration number, donor management number or barn name or tattoo, sire registration number, straw number, number of embryos in receptacle (if greater than one), and freezing date (YYMMDD, eg. 11JA01).
- ~~16. Prior to export, the container in which the embryos is to be transported was sealed by an Official Veterinarian, using seals bearing the marks: **SEAL NUMBER: xxx**~~

Serial number of Shipping Tank

ATTACHMENT TO ZOOSANITARY CERTIFICATE FOR EXPORT OF BOVINE EMBRYOS FROM AUSTRALIA TO CANADA

Donor Dam Identification:		Registration N°:		Breed:	
Donor Sire Identification:		Registration N°:		Breed:	
Name and approval number of semen collection centre (if AI used)					
Date of Embryo Collection dd/mm/yyyy	N° embryos collected	Dates of residence at the embryo collection centre		Date of Bovine tuberculosis testing	
Total number of embryos:					
Straw ID:					
Total number of straws:					
Serial number on shipping tank:					

.....
Signature (pdf. doc only)

.....
Date